Cefadroxii is an antibiotic used to treat infections caused by bacteria.

Antibiotics kill bacteria or prevent them from growing inside your body. This medicine may be used for other reasons, as prescribed by your doctor.

Side effects may include:

- diarrhea
- · upset stomach, nausea or vomiting
- headache

Other side effects may occur, but are not as common. An upset stomach is not a sign of allergy. Allergy would show up as rash or itching, facial or throat swelling, wheezing or shortness of breath.

Follow these instructions:

- Space your medicine doses evenly throughout the day. This medicine
 works best if there is a constant amount in your blood.
- · Take this medicine with food to avoid an upset stomach.
- Swallow the capsule and tablet form of this medicine whole with a full 8-ounce glass of water.
- For diabetics, this medicine can cause false test results when testing your urine for sugar. Talk with your doctor if you have questions.
- Store the tablet or capsule form of this medicine away from heat, moisture
 or direct light.
- Store the liquid form of this medicine in the refrigerator. Shake the liquid well before each use.
- If you miss a dose, take it as soon as possible. If it is almost time for your next dose, skip the missed dose. Do not double the doses.
- Talk with your doctor before taking any other medicines (including vitamins and herbala) as you may require additional monitoring.

Call your doctor if you have:

- any sign of allergy.
- · no improvement after you've taken all the medicine.
- a seizure
- any sign of a new infection (fever, general aches, chills, or unusual tiredness or weakness).
- · ongoing nausea, vomiting or stomach pain.
- · white patches in your mouth.
- · women; itching in or change in discharge from your vagina.
- Inflammation (pain and swelling) in your intestine during treatment or up to weeks after you've finished this medicine:
 - · ongoing diarrhea
 - · stomach pain or cramping
 - blood of mucus in your bowel movements
- any new or bothersome symptoms.

SMOKING CESSATION

Smoking is the nation's leading preventable cause of death. It significantly increases the risk of coronary heart disease, stroke and cancer. In fact, more than half of all smoking related deaths in America each year are from heart disease, stroke, or other cardiovascular diseases. The good news is, that one year after quitting, the risk of heart disease is cut in half. After five to fifteen smoke-free years, the risk is that of a person who never smoked!

If you or someone you love is interested in quitting, consider joining our "Freedom From Smoking "classes for adults. Centegra Health System and the McHenry County Department of Health have partnered together to bring you an effective program that will help you quit smoking. Call 877-CENTEGRA, (877-236-8347) for more information regarding this program. To speak with a counselor immediately, call the Illinois Tobacco line at 1-866-QUIT-YES.

PAIN MANAGEMENT AFTER DISCHARGE:

A person may feel less pain just by being in familiar surroundings. Here are some frequently asked questions about your pain management:

- What can I do to help my pain management? A person's level of relaxation and their environment can affect their pain. If you are tired, over stimulated (too meny visitors) are anxious about your diagnosis, or a past experience with a hospitalization, your pain perception may be impacted and your tolerance decreased. Ask questions, end inform us about any problems or concerns that you may have, re: pain. Partner with your health team for your best pain management.
- What if the medication is not working? Tell your health-care provider; physician, home health nurse, etc. You may need a different dose or type of medication.
- What if I feel I'm not getting enough pain control? Talk to your physicien or home heelth nurse about it. Together you may be able to develop a plan to prevent or ease your pain. Depending on the cause of your pain, your health-care provider may suggest exercise, use of heat/cold, massage, repositioning, immobilization of the affected part, or distraction such as music or rest.
- There are other methods of pain management. Let your health-care
 provider assist you in finding the best one for you.

Weight management is one step to help maintain a healthy lifestyle. For certain medical problems, such as congestive heart failure, weight should be monitored daily.

YOU ARE THE MOST IMPORTANT FACTOR IN YOUR RECOVERY.

Follow the above instructions carefully. Take your medicines as prescribed. Most Important, see a doctor again as discussed.

If you have problems that we have not discussed, or your problem changes or gets worse. Call or visit your doctor right away, if you cannot reach your doctor, return to the Emergency Department Immediately.

Centegra Health System is very concerned about your safety and well being. As part of our efforts to always provide very good care, any medications you received during this visit were reconciled with medication you are currently taking. This reconciliation was based on the information you or your representative provided regarding your current medications and allergies.

"I have received this information and my questione have been answered. I have discussed any challenges (see with this plan with the nurse or physician."

PAUL DULBERG or Responsible Person

PAUL DULBERG or Responsible Person has received this information and tells me that all questions have been answered.

N Staff Signature

Portibile SUPYRighted 1967-2077, Mobile ARE Corporation Page 2 of 2

DATE

- 伊和梅世4NáGA PZUL R

Account Number, B1117900323

Cefadroxil is an antibiotic used to treat infections caused by bacteria. Antiblotics kill bacteria or prevent them from growing Inside your body. This medicine may be used for other reasons, as prescribed by your doctor. Side effects may include:

- diarrhea
- upset stomach, nausea or vomiting
- headache

Other side effects may occur, but are not as common. An upset stomach is not a sign of allergy. Allergy would show up as rash or itching, facial or throat swelling, wheezing or shortness of breath.

Follow these instructions:

- Space your medicine doses evenly throughout the day. This medicine works best if there is a constant amount in your blood.
- Take this medicine with food to avoid an upset stomach.
- Swallow the capsule and tablet form of this medicine whole with a full 8-ounce glass of water.
- For diabetics, this medicine can cause false test results when testing your urine for sugar. Talk with your doctor if you have questions.
- Store the tablet or capsule form of this medicine away from heat, moisture or direct light.
- Store the liquid form of this medicine in the refrigerator. Shake the liquid well before each use.
- If you miss a dose, take it as soon as possible. If it is almost time for your next dose, skip the missed dose. Do not double the doses.
- Talk with your doctor before taking any other medicines (including vitamins and herbals) as you may require additional monitoring.

Call your doctor if you have:

- any sign of allergy.
- no improvement after you've taken all the medicine.
- a selzure.
- any sign of a new infection (fever, general aches, chills, or unusual tiredness or weakness).
- ongoing nausea, vomiting or stomach pain.
- white patches in your mouth.
- women; itching in or change in discharge from your vagina.
- inflammation (pain and swelling) in your intestine during treatment or up to weeks after you've finished this medicine:
 - ongoing diarrhea
 - stomach pain or cramping
 - blood or mucus in your bowel movements
- any new or bothersome symptoms.

SMOKING CESSATION

Smoking is the nation's leading preventable cause of death. It significantly increases the risk of coronary heart disease, stroke and cancer. In fact, more than half of all smoking related deaths in America each year are from heart disease, stroke, or other cardiovascular diseases. The good news is, that one year after guitting, the risk of heart disease is cut in half. After five to fifteen smoke-free years, the risk is that of a person who never smoked!

If you or someone you love is interested in quitting, consider joining our "Freedom From Smoking "classes for adults. Centegra Health System and the McHenry County Department of Health have partnered together to bring you an effective program that will help you quit smoking. Call 877-CENTEGRA, (877-236-8347) for more information regarding this progrem. To speak with a counselor immediately, call the Illinois Tobacco line at 1-866-QUIT-YES.

PAIN MANAGEMENT AFTER DISCHARGE:

A person may feel less pain just by being in familiar surroundings. Here are some frequently esked questions about your pain management:

- What can I do to help my pain management? A person's level of relaxation and their environment can affect their pain. If you are tired, over stimulated (too many visitors) are anxious about your diagnosis, or a past experience with a hospitalization, your pain perception may be impacted and your tolerance decreased. Ask questions, and inform us about any problems or concerns that you may have, re; pain. Partner with your health team for your best pain management,
- What if the medication is not working? Tell your health-care provider; physician, home health nurse, etc. You may need a different dose or type of medicaton.
- What if I feel I'm not getting enough pain control? Talk to your physician or home health nurse about it. Together you may be able to develop a plan to prevent or ease your pain. Depending on the cause of your pain, your health-care provider may suggest exercise, use of heat/cold, massage. repositioning, immobilization of the affected part, or distraction such as music or rest.
- There are other methods of pain management. Let your health-care provider assist you in finding the best one for you.

Weight management is one step to help maintain a healthy lifestyle. For certain medical problems, such as congestive heart fallure, weight should be monitored daily.

YOU ARE THE MOST IMPORTANT FACTOR IN YOUR RECOVERY.

Follow the above instructions carefully. Take your medicines as prescribed. Most important, see a doctor again as discussed.

If you have problems that we have not discussed, pryour problem changes or gets worse. Call or visit your doctor right away, if you cannot reach your doctor, return to the Emergency Department immediately.

Centegra Health System is very concerned about your safety and well being. As part of our efforts to always provide very good care, any medications you received during this visit were reconciled with medication you are currently taking. This reconciliation was based on the information you or your representative provided regarding your current medications and allergies.

"I have received this information and my questions have been answered. I have discussed any clightenges i see with this plan with the nurse or physician."

PAUL DULBERG or Responsible Person

PAUL DULBERG or Responsible Person has received this information and tells me that all questions have been answered

Portlens Copyrighted 1567-2817, LOGICARE Corporation

Account Number, B1117900323

DATE

Panaga Paul R

Cefadroxil is an antibiotic used to treat infections caused by bacteria. Antiblotics kill bacteria or prevent them from growing inside your body. This medicine may be used for other reasons, as prescribed by your doctor. Side effects may include:

- diarrhea
- upset stomach, nausea or vomiting
- headache

Other side effects may occur, but are not as common. An upset stomach is not a sign of allergy. Allergy would show up as rash or itching, facial or throat swelling, wheezing or shortness of breath.

Follow these instructions:

- Space your medicine doses evenly throughout the day. This medicine works best if there is a constant amount in your blood.
- Take this medicine with food to avoid an upset stomach.
- Swallow the capsule and tablet form of this medicine whole with a full 8-ounce glass of water.
- For diabetics, this medicine can cause false test results when testing your urine for sugar. Talk with your doctor if you have questions.
- Store the tablet or capsule form of this medicine away from heat, moisture or direct light.
- Store the liquid form of this medicine in the refrigerator. Shake the liquid well before each use.
- If you miss a dose, take it as soon as possible. If it is almost time for your next dose, skip the missed dose. Do not double the doses.
- Talk with your doctor before taking any other medicines (including vitamins and herbais) as you may require additional monitoring.

Call your doctor if you have:

- any sign of allergy.
- no improvement after you've taken all the medicine.
- any sign of a new infection (fever, general aches, chills, or unusual tiredness or weakness).
- ongoing nausea, vomiting or stomach pain.
- white patches in your mouth.
- women: itching in or change in discharge from your vagina.
- inflammation (pain and swelling) in your intestine during treatment or up to weeks after you've finished this medicine:
 - ongoing diarrhea
 - stomach pain or cramping
 - blood or mucus in your bowel movements
- any new or bothersome symptoms.

SMOKING CESSATION

Smoking is the nation's leading preventable cause of death. It significantly increases the risk of coronary heart disease, stroke and cancer. In fact, more than half of all smoking related deaths in America each yeer are from heart disease, stroke, or other cardiovascular diseases. The good news is, that one year after quitting, the risk of heart disease is cut in half. After five to fifteen smoke-free years, the risk is that of a person who never smoked!

If you or someone you love is interested in quitting, consider joining our "Freedom From Smoking "classes for adults. Centegra Health System and the McHenry County Department of Health have partnered together to bring you an effective program that will help you quit smoking. Call 877-CENTEGRA, (877-236-8347) for more information regarding this program. To speak with a counselor immediately, call the Illinois Tobacco line at 1-866-QUIT-YES.

PAIN MANAGEMENT AFTER DISCHARGE:

A person may feel less pain just by being in familiar surroundings. Here are some frequently asked questions about your pain management:

- What can I do to help my pain management? A person's level of relaxation and their environment can affect their pain. If you are tired, over stimulated (too many visitors) are anxious about your diagnosis, or a past experience with a hospitalization, your pain perception may be impacted and your tolerance decreased. Ask questions, and inform us about any problems or concerns that you may have, re: paln. Partner with your health team for your best pain management.
- What if the medication is not working? Tell your health-care provider; physician, home health nurse, etc. You may need a different dose or type
- What if I feel I'm not getting enough pain control? Talk to your physician or home health nurse about it. Together you may be able to develop a plan to prevent or ease your pain. Depending on the cause of your pain, your haalth-care provider may suggest exercise, use of heat/cold, massage, repositioning, immobilization of the affected part, or distraction such as music or rest.
- There are other methods of pain management. Let your health-care provider assist you in finding the best one for you.

Weight management is one step to help maintain a healthy lifestyle. For certain medical problems, such as congestive heart failure, weight should be monitored daily.

YOU ARE THE MOST IMPORTANT FACTOR IN YOUR RECOVERY.

Follow the above instructions carefully. Take your medicines as prescribed. Most important, see a doctor again as discussed.

lfyou have problems that we have not discussed, or your problem channes or gets worse. Call or visit your doctor right away. If you cannot reach your doctor, return to the Emergency Department Immediately.

Centegra Health System is very concerned about your safety and well being. As part of our efforts to always provide very good care, any medications you received during this visit were reconciled with medication you are currently taking. This reconciliation was based on the information you or your representative provided regarding your current medications and allergies.

"I have received this information and my questions have been anewered. I have discussed any challenges (see with this plan with the nurse or physician."

PAUL DULBERG or Responsible Person

PAUL DULBERG or Responsible Person has received this information and tells me that all questions have been answered.

Pontibre ENT Times 1367-2017 VOS FARE Corporation

DATE

rapidianaga Paul R Account Number, B1117900323

Cefadroxil is an antibiotic used to treat infections caused by bacteria.

Antibiotics kill bacteria or prevent them from growing inside your body. This medicine may be used for other reasons, as prescribed by your doctor.

Side effects may include:

- diarrhea
- upset stomach, nausea or vomiting
- headache

Other side effects may occur, but are not as common. An upset stomach is not a sign of allergy. Allergy would show up as rash or itching, facial or throat swelling, wheezing or shortness of breath.

Follow these instructions:

- Space your medicine doses evenly throughout the day. This medicine
 works best if there is a constant amount in your blood.
- Take this medicine with food to avoid an upset stomach.
- Swallow the capsule and tablet form of this medicine whole with a full 8-ounce glass of water.
- For diabetics, this medicine can cause false test results when testing your urine for sugar. Talk with your doctor if you have questions.
- Store the tablet or capsule form of this medicine away from heat, moisture
 or direct light.
- Store the liquid form of this medicine in the refrigerator. Shake the liquid well before each use,
- If you miss a dose, take it as soon as possible. If it is almost time for your next dose, skip the missed dose. Do not double the doses.
- Talk with your doctor before taking any other medicines (including vitamins and herbals) as you may require additional monitoring.

Call your doctor if you have:

- · any sign of allergy.
- no Improvement after you've taken all the medicine.
- · a seizure
- any sign of a new infection (fever, general aches, chills, or unusual tiredness or weakness).
- ongoing nausea, vomiting or stomach pain.
- white patches in your mouth.
- women: itching in or change in discharge from your vagina.
- Inflammation (pain and swelling) in your intestine during treatment or up to weeks after you've finished this medicine;
 - ongoing diarrhea
 - stomach pain or cramping
 - blood or mucus in your bowet movements
- any new or bothersome symptoms.

SMOKING CESSATION

Smoking is the nation's leading preventable cause of death. It significantly increases the risk of coronary heart disease, stroke and cancer. In fact, more than half of all smoking related deaths in America each year are from heart disease, stroke, or other cardiovascular diseases. The good news is, that one year after quitting, the risk of heart disease is cut in half. After five to fifteen smoke-free years, the risk is that of a person who never smoked!

If you or someone you love is interested in quitting, consider joining our "Freedom From Smoking "classes for adults. Centegra Health System and the McHenry County Department of Health have partnered together to bring you an effective program that will help you quit smoking. Call 877-CENTEGRA, (877-238-8347) for more information regarding this program. To speak with a counselor immediately, cell the Illinois Tobacco line at 1-868-QUIT-YES.

PAIN MANAGEMENT AFTER DISCHARGE:

A person may feel less pain just by being in familiar surroundings. Here are some frequently asked questions about your pain management:

- What can I do to help my pain management? A person's level of relaxation and their environment can affect their pain. If you are tired, over stimulated (too many visitors) are anxious about your diagnosis, or a past experience with a hospitalization, your pain perception may be impacted and your tolerance decreased. Ask questions, and inform us about any problems or concerns that you may have, re: pain. Partner with your health team for your best pain management.
- What if the medication is not working? Tell your health-care provider; physician, home health nurse, etc. You may need a different dose or type of medicaton.
- What if I feel I'm not getting enough pain control? Talk to your physician or home health nurse about it. Together you may be able to develop a plan to prevent or ease your pain. Depending on the cause of your pain, your health-care provider may suggest exercise, use of heat/cold, massage, repositioning, immobilization of the affected part, or distraction such as music or rest.
- There are other methods of pain management. Let your health-care provider assist you in finding the best one for you.

Weight management is one step to help maintain a healthy lifestyle. For certain medical problems, such as congestive heart failure, weight should be monitored daily.

YOU ARE THE MOST IMPORTANT FACTOR IN YOUR RECOVERY.

Follow the above instructions carefully. Take your medicines as prescribed. Most important, see a doctor again as discussed.

If you have problems that we have not discussed, or your problem changes or gets worse. Call or visit your doctor right away. If you cannot reach your doctor, return to the Emergency Department immediately.

Centegra Health System is very concerned about your safety and well being. As part of our efforts to always provide very good care, any medications you received during this visit were reconciled with medication you are currently taking. This reconcilietion was based on the information you or your representative provided regarding your current medications and allergies.

"I have received this information and my questions have been answered. I have discussed any challenges I see with this plan with the nurse or physician."

PAUL DULBERG or Responsible Person

PAUL DULBERG or Responsible Person has received this information and tells me that all questions have been answered.

RN Staff Signature

Portions Topyrighted 1567-2811, SOCIERE Corporation Page 2 of 2

DATE

Patiece Name Paul R Account Number, B1117900323

Cefadroxil is an antibiotic used to treat infections caused by bacteria. Antibiotics kill bacteria or prevent them from growing inside your body. This medicine may be used for other reasons, as prescribed by your doctor. Side effects may include:

- diarrhea
- upset stomach, nausea or vomiting
- headache

Other side effects may occur, but are not as common. An upset stomach is not a sign of allergy. Allergy would show up as rash or itching, facial or throat swelling, wheezing or shortness of breath.

Follow these instructions:

- Space your medicine doses evenly throughout the day. This medicine works best if there is a constant amount in your blood.
- Take this medicine with food to avoid an upset stomach,
- Swallow the capsule and tablet form of this medicine whole with a full 8-cunce glass of water.
- For diabetics, this medicine can cause false test results when testing your urine for sugar. Talk with your doctor if you have questions.
- Store the tablet or capsule form of this medicine away from heat, moisture or direct light.
- Store the liquid form of this medicine in the refrigerator. Shake the liquid well before each use.
- If you miss a dose, take it as soon as possible. If it is almost time for your next dose, skip the missed dose. Do not double the doses.
- Talk with your doctor before taking any other medicines (including vitamins and herbals) as you may require additional monitoring.

Call your doctor if you have:

- any sign of allergy.
- no improvement after you've taken all the medicine.
- any sign of a new infection (fever, general aches, chills, or unusual tiredness or weakness).
- engoing nausea, vomiting or stomach pain.
- white patches in your mouth.
- women; itching in or change in discharge from your vagina.
- inflammation (pain and swelling) in your intestine during treatment or up to weeks after you've finished this medicine:
 - ongoing diarrhea
 - stomach pain or cramping
 - blood or mucus in your bowel movements
- any new or bothersome symptoms.

SMOKING CESSATION

Smoking is the nation's leading preventable cause of death. It significantly increases the risk of coronary heart disease, stroke and cancer. In fact, more than half of all smoking related deaths in America each year are from heart disease, stroke, or other cardiovascular diseases. The good news is, that one year after quilting, the risk of heart disease is cut in half. After five to fifteen smoke-free years, the risk is that of a person who never amoked!

if you or someone you love is interested in quitting, consider joining our "Freedom From Smoking "classes for adults. Centegra Health System and the McHenry County Department of Health have pertnered together to bring you an effective program that will help you quit smoking. Call 877-CENTEGRA, (877-236-8347) for more information regarding this program. To speak with a counselor immediately, call the Illinois Tobacco line at 1-866-QUIT-YES.

PAIN MANAGEMENT AFTER DISCHARGE:

A person may feel less pain just by being in familiar surroundings. Here are some frequently asked questions about your pain management:

- What can I do to help my pain menagement? A person's level of relaxation and their environment can affect their pain. If you are tired, over stimulated (too many visitors) are anxious about your diagnosis, or a past experience with a hospitalization, your pain perception may be impacted and your tolerance decreased. Ask questions, and inform us about any problems or concerns that you may have, re: pain. Partner with your health team for your best pain management.
- What if the medication is not working? Tell your health-care provider; physician, home health nurse, etc. You may need a different dose or type of medicaton.
- What if I feel I'm not getting enough pain control? Talk to your physician or home health nurse about it. Together you may be able to develop a plan to prevent or ease your pain. Depending on the cause of your pain, your health-care provider may suggest exercise, use of heat/cold, massage, repositioning, immobilization of the affected part, or distraction such as music or rest.
- There are other methods of pain management. Let your health-care provider assist you in finding the best one for you.

Weight management is one step to help maintain a healthy lifestyle. For cartain medical problems, such as congestive heart failure, weight should be monitored daily.

YOU ARE THE MOST IMPORTANT FACTOR IN YOUR RECOVERY.

Follow the ebove instructions carefully. Take your medicines as prescribed. Most important, see a doctor again as discussed.

lfyou have problems that we have not discussed, or your problem chances or gets worse. Call or visit your doctor right awey. If you cannot reach your doctor, return to the Emergency Department immediately.

Centegra Health System is very concerned about your safety and well being. As part of our efforts to always provide very good care, any medications you received during this visit were reconciled with medication you are currently taking. This reconciliation was based on the information you or your representative provided regarding your current medications and allergies.

"I have received this information and my questions have bean anawered. I have discussed any cjiậllenges i see with this plan with the nurse or physician."

PAUL DULBERG or Responsible Person

PAUL DULBERG or Responsible Peraton has received this information and tells me that all questions have been answere

Portions Copyrighted 1987-2011, LOGICARE Corporation

Patient Name, PAUL R Account Number, B1117900323